

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

### SECTION 1: Identification of the substance/mixture and of the company/undertaking

#### 1.1 Product identifier

Trade name **Praxi Polish Plus / 400ml**  
Registration number (REACH) not relevant (mixture)

#### Other means of identification

Article number 554 208

#### 1.2 Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses cleaning agent

#### 1.3 Details of the supplier of the safety data sheet

Hager & Werken GmbH & Co. KG  
Ackerstraße 1  
47269 Duisburg  
Germany

Telephone: + 49 203 / 99 26 90  
Telefax: + 49 203 / 29 92 83  
e-mail: [info@hagerwerken.de](mailto:info@hagerwerken.de)  
Website: [www.hagerwerken.de](http://www.hagerwerken.de)

Competent person responsible for the safety data sheet Abteilung Produktsicherheit

e-mail (competent person) [info@hagerwerken.de](mailto:info@hagerwerken.de)

#### 1.4 Emergency telephone number

Emergency information service + 49 203 / 99 26 90  
This number is only available during the following office hours: Mon-Fri 09:00 - 17:00

### SECTION 2: Hazards identification

#### 2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008 (CLP)

Section	Hazard class	Cat-egory	Hazard class and category	Hazard state-ment
2.3	aerosols	Cat. 1	(Aerosol 1)	H222,H229

#### Remarks

For full text of H-phrases: see SECTION 16.

#### Supplemental hazard information

Code	Supplemental hazard information
EUH066	repeated exposure may cause skin dryness or cracking

#### 2.2 Label elements

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

### Labelling according to Regulation (EC) No 1272/2008 (CLP)

#### Signal word

**Danger**

#### Pictograms

GHS02



#### Hazard statements

H222 Extremely flammable aerosol.  
H229 Pressurized container: may burst if heated.

#### Precautionary statements

##### Precautionary statements - general

P101 If medical advice is needed, have product container or label at hand.  
P102 Keep out of reach of children.  
P103 Read label before use.

##### Precautionary statements - prevention

P210 Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.  
P211 Do not spray on an open flame or other ignition source.  
P251 Do not pierce or burn, even after use.

##### Precautionary statements - storage

P410+P412 Protect from sunlight. Do not expose to temperatures exceeding 50 °C.

#### Additional labelling requirements

EUH066 Repeated exposure may cause skin dryness or cracking.

### 2.3 Other hazards

There is no additional information.




## SECTION 3: Composition/information on ingredients

### 3.1 Substances

not relevant (mixture)

### 3.2 Mixtures


#### Description of the mixture

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
butane	CAS No 106-97-8  EC No 203-448-7	5-<10	Flam. Gas 1 / H220 Press. Gas L / H280	
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	CAS No 90622-58-5  EC No 927-285-2	5-<10	Asp. Tox. 1 / H304	
propane	CAS No 74-98-6  EC No 200-827-9	1-<5	Flam. Gas 1 / H220 Press. Gas L / H280	

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

Name of substance	Identifier	wt%	Classification acc. to 1272/2008/EC	Pictograms
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	CAS No 68424-85-1  EC No 270-325-2	< 1	Met. Corr. 1 / H290 Acute Tox. 3 / H301 Acute Tox. 3 / H311 Skin Corr. 1C / H314 Eye Dam. 1 / H318 Aquatic Acute 1 / H400	

For full text of abbreviations: see SECTION 16.

### SECTION 4: First aid measures

#### 4.1 Description of first aid measures

##### General notes

Do not leave affected person unattended. Remove victim out of the danger area. Keep affected person warm, still and covered. Take off immediately all contaminated clothing. In all cases of doubt, or when symptoms persist, seek medical advice. In case of unconsciousness place person in the recovery position. Never give anything by mouth.

##### Following inhalation

If breathing is irregular or stopped, immediately seek medical assistance and start first aid actions. Provide fresh air.

##### Following skin contact

Wash with plenty of soap and water.

##### Following eye contact

Remove contact lenses, if present and easy to do. Continue rinsing. Irrigate copiously with clean, fresh water for at least 10 minutes, holding the eyelids apart.

##### Following ingestion

Rinse mouth with water (only if the person is conscious). Do NOT induce vomiting.

#### 4.2 Most important symptoms and effects, both acute and delayed

Symptoms and effects are not known to date.

#### 4.3 Indication of any immediate medical attention and special treatment needed

none

### SECTION 5: Firefighting measures

#### 5.1 Extinguishing media

##### Suitable extinguishing media

water spray, BC-powder

##### Unsuitable extinguishing media

water jet

#### 5.2 Special hazards arising from the substance or mixture

##### Hazardous combustion products

nitrogen oxides (NO<sub>x</sub>), carbon monoxide (CO), carbon dioxide (CO<sub>2</sub>)

#### 5.3 Advice for firefighters

In case of fire and/or explosion do not breathe fumes. Co-ordinate firefighting measures to the fire surroundings. Do not allow firefighting water to enter drains or water courses. Collect contaminated firefighting water separately. Fight fire with normal precautions from a reasonable distance.

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

### SECTION 6: Accidental release measures

#### 6.1 Personal precautions, protective equipment and emergency procedures

##### For non-emergency personnel

Remove persons to safety.

##### For emergency responders

Wear breathing apparatus if exposed to vapours/dust/spray/gases.

#### 6.2 Environmental precautions

Keep away from drains, surface and ground water. Retain contaminated washing water and dispose of it.

#### 6.3 Methods and material for containment and cleaning up

##### Advices on how to contain a spill

Covering of drains.

##### Other information relating to spills and releases

Place in appropriate containers for disposal. Ventilate affected area.

#### 6.4 Reference to other sections

Hazardous combustion products: see section 5. Personal protective equipment: see section 8. Incompatible materials: see section 10. Disposal considerations: see section 13.

### SECTION 7: Handling and storage

#### 7.1 Precautions for safe handling

##### Recommendations

##### • Measures to prevent fire as well as aerosol and dust generation

Use local and general ventilation. Use only in well-ventilated areas.

##### Advice on general occupational hygiene

Wash hands after use. Do not eat, drink and smoke in work areas. Remove contaminated clothing and protective equipment before entering eating areas. Never keep food or drink in the vicinity of chemicals. Never place chemicals in containers that are normally used for food or drink. Keep away from food, drink and animal feed-stuffs.

#### 7.2 Conditions for safe storage, including any incompatibilities

##### Managing of associated risks

##### • Flammability hazards

Do not spray on an open flame or other ignition source. Protect from sunlight.

##### Incompatible substances or mixtures

Observe hints for combined storage.

##### • Control of effects

##### • Protect against external exposure, such as

frost

##### Consideration of other advice

##### • Packaging compatibilities

Only packagings which are approved (e.g. acc. to ADR) may be used.

#### 7.3 Specific end use(s)

See section 16 for a general overview.

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

### SECTION 8: Exposure controls/personal protection

#### 8.1 Control parameters

##### National limit values

##### Occupational exposure limit values (Workplace Exposure Limits)

Country	Name of agent	CAS No	Identifier	TWA [ppm]	TWA [mg/m <sup>3</sup> ]	STEL [ppm]	STEL [mg/m <sup>3</sup> ]	Source
GB	butane	106-97-8	WEL	600	1,450	750	1,810	EH40/2005

##### Notation

STEL Short-term exposure limit: a limit value above which exposure should not occur and which is related to a 15-minute period unless otherwise specified  
TWA Time-weighted average (long-term exposure limit): measured or calculated in relation to a reference period of 8 hours time-weighted average

#### 8.2 Exposure controls

##### Appropriate engineering controls

General ventilation.

##### Individual protection measures (personal protective equipment)

Personal protective equipment shall be used when the risks cannot be avoided or sufficiently limited by technical means of collective protection or by measures, methods or procedures of work organization.

##### Eye/face protection

Wear eye/face protection.

##### Skin protection

###### • hand protection

Wear suitable gloves. Check leak-tightness/impermeability prior to use. For special purposes, it is recommended to check the resistance to chemicals of the protective gloves mentioned above together with the supplier of these gloves.

###### • other protection measures

Take recovery periods for skin regeneration. Preventive skin protection (barrier creams/ointments) is recommended. Wash hands thoroughly after handling.

##### Respiratory protection

[In case of inadequate ventilation] wear respiratory protection.

##### Environmental exposure controls

Use appropriate container to avoid environmental contamination. Keep away from drains, surface and ground water.

### SECTION 9: Physical and chemical properties

#### 9.1 Information on basic physical and chemical properties

##### Appearance

Physical state	aerosol (spray aerosol)
Colour	whitish
Odour	characteristic

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

### Other physical and chemical parameters

pH (value)	6.2 – 8.7 (20 °C)
Melting point/freezing point	not determined
Initial boiling point and boiling range	-161.5 °C at 1,013 hPa
Flash point Evaporation rate	-80 °C (im geschlossenen Tiegel)
Flammability (solid, gas)	not determined
Explosive limits	flammable aerosol in accordance with GHS criteria

• lower explosion limit (LEL)	0.5 vol%
• upper explosion limit (UEL)	15 vol%
Vapour pressure	2,100 hPa at 20 °C
Density	0.9621 – 0.9821 g/cm <sup>3</sup> at 20 °C
Solubility(ies)	not determined
Partition coefficient	
n-octanol/water (log KOW)	this information is not available
Auto-ignition temperature	232 °C
Viscosity	not relevant (aerosol)
Explosive properties	none
Oxidising properties	none

### 9.2 Other information

Solvent content	86.78 %
Solid content	0.63 %
propellant content	12.59 %

## SECTION 10: Stability and reactivity

### 10.1 Reactivity

Concerning incompatibility: see below "Conditions to avoid" and "Incompatible materials". The mixture contains reactive substance(s): risk of ignition

### 10.2 Chemical stability

See below "Conditions to avoid".

### 10.3 Possibility of hazardous reactions

No known hazardous reactions.

### 10.4 Conditions to avoid

Do not spray on an open flame or other ignition source. - Keep away from heat.

#### Hints to prevent fire or explosion

Protect from sunlight.

#### Physical stresses which might result in a hazardous situation and have to be avoided

strong shocks

### 10.5 Incompatible materials

oxidisers

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

### 10.6 Hazardous decomposition products

Reasonably anticipated hazardous decomposition products produced as a result of use, storage, spill and heating are not known. Hazardous combustion products: see section 5.

## SECTION 11: Toxicological information

### 11.1 Information on toxicological effects

Test data are not available for the complete mixture.

#### Classification procedure

The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

#### Classification according to GHS (1272/2008/EC, CLP)

##### Acute toxicity

Shall not be classified as acutely toxic.

##### • Acute toxicity of components of the mixture

Name of substance	CAS No	Exposure route	ATE
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	oral	100 mg/kg
Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	68424-85-1	dermal	300 mg/kg

##### Skin corrosion/irritation

Shall not be classified as corrosive/irritant to skin.

##### Serious eye damage/eye irritation

Shall not be classified as seriously damaging to the eye or eye irritant.

##### Respiratory or skin sensitisation

Shall not be classified as a respiratory or skin sensitiser.

##### Summary of evaluation of the CMR properties

Shall not be classified as germ cell mutagenic, carcinogenic nor as a reproductive toxicant.

##### Specific target organ toxicity (STOT)

Shall not be classified as a specific target organ toxicant.

##### Aspiration hazard

Shall not be classified as presenting an aspiration hazard.

##### Other information

Repeated exposure may cause skin dryness or cracking.

## SECTION 12: Ecological information

### 12.1 Toxicity

Shall not be classified as hazardous to the aquatic environment.

#### Aquatic toxicity (acute)

#### Aquatic toxicity (acute) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
butane	106-97-8	LC50	27.98 mg/l	fish	96 h
butane	106-97-8	EC50	7.71 mg/l	algae	96 h
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	90622-58-5	LL50	>1,000 mg/l	fish	48 h

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	90622-58-5	EL50	>1,000 mg/l	aquatic invertebrates	48 h
propane	74-98-6	LC50	27.98 mg/l	fish	96 h
propane	74-98-6	EC50	7.71 mg/l	algae	96 h

### Aquatic toxicity (chronic)

#### Aquatic toxicity (chronic) of components of the mixture

Name of substance	CAS No	Endpoint	Value	Species	Exposure time
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	90622-58-5	LL50	>1,000 mg/l	fish	24 h
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	90622-58-5	EL50	>1,000 mg/l	aquatic invertebrates	24 h

## 12.2 Persistence and degradability

### Degradability of components of the mixture

Name of substance	CAS No	Process	Degradation rate	Time
Hydrocarbons, C11-C14, isoalkanes, cyclics, <2% aromatics	90622-58-5	oxygen depletion	9.6 %	5 d

## 12.3 Bioaccumulative potential

Data are not available.

### Bioaccumulative potential of components of the mixture

Name of substance	CAS No	BCF	Log KOW	BOD5/COD
butane	106-97-8		1.09 (pH value: 7, 20 °C)	
propane	74-98-6		1.09 (pH value: 7, 20 °C)	

## 12.4 Mobility in soil

Data are not available.

## 12.5 Results of PBT and vPvB assessment

Data are not available.

## 12.6 Other adverse effects

Data are not available.



## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

### SECTION 13: Disposal considerations

#### 13.1 Waste treatment methods

##### **Sewage disposal-relevant information**

Do not empty into drains. Avoid release to the environment. Refer to special instructions/safety data sheets.

##### **Waste treatment of containers/packagings**

It is a dangerous waste; only packagings which are approved (e.g. acc. to ADR) may be used. Completely emptied packages can be recycled. Handle contaminated packages in the same way as the substance itself.

##### **Remarks**

Please consider the relevant national or regional provisions. Waste shall be separated into the categories that can be handled separately by the local or national waste management facilities.

### SECTION 14: Transport information

<b>14.1</b>	UN number	<b>1950</b>
<b>14.2</b>	UN proper shipping name	<b>AEROSOLS</b>
<b>14.3</b>	Transport hazard class(es)	
	Class	2 (gases) (aerosol)
	Subsidiary risk(s)	2.1 (flammability)
<b>14.4</b>	Packing group	not assigned to a packing group
<b>14.5</b>	Environmental hazards	none (non-environmentally hazardous acc. to the dangerous goods regulations)
<b>14.6</b>	Special precautions for user	
	Provisions for dangerous goods (ADR) should be complied within the premises.	
<b>14.7</b>	Transport in bulk according to Annex II of MARPOL and the IBC Code	
	The cargo is not intended to be carried in bulk.	

#### **Information for each of the UN Model Regulations**

##### **• Transport of dangerous goods by road, rail and inland waterway (ADR/RID/ADN)**

UN number	1950
Proper shipping name	AEROSOLS
Class	2
Classification code	5F
Danger label(s)	2.1



Special provisions (SP)	190, 327, 344, 625
Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 L
Transport category (TC)	2
Tunnel restriction code (TRC)	D

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

• **International Maritime Dangerous Goods Code (IMDG)**

UN number	1950
Proper shipping name	AEROSOLS
Class	2.1
Danger label(s)	2.1



Special provisions (SP)	63, 190, 277, 327, 344, 381, 959
Excepted quantities (EQ)	E0
Limited quantities (LQ)	1 L
EmS	F-D, S-U
Stowage category	-

• **International Civil Aviation Organization (ICAO-IATA/DGR)**

UN number	1950
Proper shipping name	Aerosols, flammable
Class	2.1
Danger label(s)	2.1



Special provisions (SP)	A145, A167
Excepted quantities (EQ)	E0
Limited quantities (LQ)	30 kg

### SECTION 15: Regulatory information

**15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture**  
**Relevant provisions of the European Union (EU)**

• **Directive 75/324/EEC relating to aerosol dispensers**

**Classification of the gas/aerosol** Extremely flammable

**Labelling**

Pressurized container: may burst if heated  
Keep out of the reach of children  
Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking  
Do not pierce or burn, even after use  
Protect from sunlight. Do not expose to temperatures exceeding 50 °C

**15.1.4. Regulation on detergents 648/2004**

15 % or over but less than 30 % aliphatic hydrocarbons, less than 5 % non-ionic surfactants, less than 5 % cationic surfactants, less than 5 % amphoteric surfactants, Perfume.

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

### 15.2 Chemical Safety Assessment

Chemical safety assessments for substances in this mixture were not carried out.

## SECTION 16: Other information

### 16.1 Indication of changes (revised safety data sheet)

Section	Former entry (text/value)	Actual entry (text/value)	Safety-relevant
1.3			
1.3			

### Abbreviations and acronyms

Abbr.	Descriptions of used abbreviations
Acute Tox.	Acute toxicity
ADN	Accord européen relatif au transport international des marchandises dangereuses par voies de navigation intérieures (European Agreement concerning the International Carriage of Dangerous Goods by Inland Waterways)
ADR	Accord européen relatif au transport international des marchandises dangereuses par route (European Agreement concerning the International Carriage of Dangerous Goods by Road)
Aquatic Acute	Hazardous to the aquatic environment - acute hazard
Asp. Tox.	Aspiration hazard
ATE	Acute Toxicity Estimate
BCF	Bioconcentration factor
BOD	Biochemical Oxygen Demand
CAS	Chemical Abstracts Service (service that maintains the most comprehensive list of chemical substances)
CLP	Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures
CMR	Carcinogenic, Mutagenic or toxic for Reproduction
COD	Chemical oxygen demand
DGR	Dangerous Goods Regulations (see IATA/DGR)
EC No	The EC Inventory (EINECS, ELINCS and the NLP-list) is the source for the seven-digit EC number, an identifier of substances commercially available within the EU (European Union)
EH40/2005	EH40/2005 Workplace exposure limits ( <a href="http://www.nationalarchives.gov.uk/doc/open-government-licence/">http://www.nationalarchives.gov.uk/doc/open-government-licence/</a> )
EINECS	European Inventory of Existing Commercial Chemical Substances
ELINCS	European List of Notified Chemical Substances
EmS	Emergency Schedule
Eye Dam.	Seriously damaging to the eye
Eye Irrit.	Irritant to the eye
Flam. Gas	Flammable gas
GHS	"Globally Harmonized System of Classification and Labelling of Chemicals" developed by the United Nations
IATA	International Air Transport Association
IATA/DGR	Dangerous Goods Regulations (DGR) for the air transport (IATA)

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

Abbr.	Descriptions of used abbreviations
ICAO	International Civil Aviation Organization
IMDG	International Maritime Dangerous Goods Code
log KOW	n-Octanol/water
MARPOL	International Convention for the Prevention of Pollution from Ships (abbr. of "Marine Pollutant")
Met. Corr.	Substance or mixture corrosive to metals
NLP	No-Longer Polymer
PBT	Persistent, Bioaccumulative and Toxic
ppm	Parts per million
Press. Gas	Gas under pressure
REACH	Registration, Evaluation, Authorisation and Restriction of Chemicals
RID	Règlement concernant le transport International ferroviaire des marchandises Dangereuses (Regulations concerning the International carriage of Dangerous goods by Rail)
Skin Corr.	Corrosive to skin
Skin Irrit.	Irritant to skin
STEL	Short-term exposure limit
TWA	Time-weighted average
vPvB	Very Persistent and very Bioaccumulative
WEL	Workplace exposure limit

### Key literature references and sources for data

- Regulation (EC) No. 1907/2006 (REACH), amended by 2015/830/EU
- Regulation (EC) No. 1272/2008 (CLP, EU GHS)

### Classification procedure

Physical and chemical properties: The classification is based on tested mixture.

Health hazards/environmental hazards: The method for classification of the mixture is based on ingredients of the mixture (additivity formula).

### List of relevant phrases (code and full text as stated in chapter 2 and 3)

Code	Text
H220	Extremely flammable gas.
H222	Extremely flammable aerosol.
H229	Pressurized container: may burst if heated.
H280	Contains gas under pressure; may explode if heated.
H290	May be corrosive to metals.
H301	Toxic if swallowed.
H304	May be fatal if swallowed and enters airways.
H311	Toxic in contact with skin.
H314	Causes severe skin burns and eye damage.
H318	Causes serious eye damage.

# Safety Data Sheet

according to Regulation (EC) No. 1907/2006 (REACH)

## Praxi Polish Plus / 400ml

Version number: GHS 3.0  
Replaces version of: 2017-12-07 (GHS 2)

revision: 2017-12-07

Code	Text
H400	Very toxic to aquatic life.

### Disclaimer

This information is based upon the present state of our knowledge. This SDS has been compiled and is solely intended for this product.